



VECTROSTIM *Plus*

INDICATION BASED COMPUTERISED INTERFERENTIAL THERAPY

IFT | MST | TENS | DIA DYNAMIC | RUSSIAN CURRENT (5 IN 1)



DEEP SEATED PAIN | MUSCULOSKELETAL PAIN | NERVE STIMLUATION
MUSCLE STIMULATION | LOW BACK PAIN | ARTHRITIC KNEE PAIN
SPORTS INJURIES | MUSCLE RE-EDUCATION | BELLS PALSY | S-D CURVE

Vectrostim Plus is an Indication based User friendly machine offering both LF & MF Currents. Interferential therapy, Muscle Stimulation, TENS and Advanced - Dia Dynamic Currents Russian Current, Ultra Reiz, Trabert and Leduc Currents.

Vectrostim Plus has a big Graphic LCD display which allows the user to select from a list of indications or manually select from 29 programs of Interferential therapy and 73 programs programs of Muscle Stimulation and TENS.

IFT

KEY FEATURES

- ▶ Big Bright Graphic LCD screen displaying all Clinical Parameters and Treatment information.
- ▶ Indication Based – Easy to select list of clinical pathologies for all modalities.
- ▶ User can easily select a condition and start the treatment.
- ▶ Portable and Light Weight ABS Plastic body – Easy to carry even for home visits.
- ▶ Soft touch buttons and Easy Rotate and Select Encoder Knob for quick & easy operation.
- ▶ Precise Digital adjustment of Base and Spectrum with 1 Hz Precision.
- ▶ Ability to change base and spectrum during treatment.
- ▶ User Memory to store and recall favourite treatment protocols.
- ▶ Automatic intensity control makes VECTROSTIM Plus very safe to use by avoiding accidental wrong settings of intensity.

Number of Channels	: 2 Channels
Maximum Output Current	: 0-75mA
Operating Frequency	: 2000Hz & 4000 Hz
Base	: 0 -150 Hz
Spectrum	: 0 -150 Hz
Modes	: 2EL/4EL/4EL45 VECTOR/4EL90 VECTOR
Sweep Patterns	: Triangle/Square/Trapezoidal

MST & TENS

Number of Channels	: 2 Channels
Maximum Output Current	: 0-60mA
Modes	: Plain Galvanic, Pulsed Galvanic, Plain Faradic, Surged Faradic programs, s-d curve programs, Ionto, Plain TENS, Surged TENS
Additional currents	: Dia Dynamic Currents Russian Current, Ultra Reiz, Trabert & Leduc Currents
Operating Voltage	: 220 V AC, 50 Hz.
Weight	: 3.5 Kgs
Max Power Consumption	: 50 Watts.
Light Weight ABS Plastic Body	

ACCESSORIES




Plate Electrodes
3 sizes



Velcro Straps
3 diff sizes



MST Handle Ball Electrodes
2 sizes



Sponge for Rubber Electrodes
2 pairs



Rubber Electrodes
4 pcs



Patient Cables
2 Pairs



TECHNOMED ELECTRONICS

Plot No: 41, Functional Industrial Estate,
Perungudi, Chennai - 600 096.

Tel: +91-44-42020060

Email: sales@technomedelectronics.com

Web: www.technomedelectronics.com